




**eDELIVER 7**  
100% ELECTRIC VEHICLE



 **MAXUS**

## Basic Parameters

Weights		Dimensions	
GTW(kg)	4250	L*W*H(mm)	4998*2030*1990
GVW(kg)	3500	Wheel base(mm)	3000
CVW(kg)	2300	Ground Clearance(mm)	150
Maximum Front Axle Load(kg)	1830	Turning Radius(m)	6.05
Maximum Rear Axle Load(kg)	2050	Dimensions Cargo Area	
Payload(kg)	1200	Cargo Volume(m <sup>3</sup> )	5.9
Maximum trailer capacity Braked(kg)	1500	Maximum Length(mm)	2547
Maximum trailer capacity Unbraked(kg)	750	Maximum Width(mm)	1800



Maximum Width between wheelarches(mm)

1390

Maximum Height(mm)

1328

### Dimensions Sliding Door

Width(mm)

990

Height(mm)

1200







## MAXUS eDELIVER 7 L1H1 77kWh

### Basic Parameters

Battery & Electric Motor		Performance	
Battery Capacity(kWh)	77	Maximum Speed (kmh/mph)	90/55 (ECO) 120/75 (Normal, Power)
Max. Power(kW)	150	Acceleration 0-100kmh / 0-60mph	11.4/10.8
Max.Torque(N.m)	330	Max. Grade Ability	25%
Energy Consumption WLTP Combined (kWh/100km)	27.50	Suspension & Chassis	
Charging Time(AC charger 11kW, 5-100% )h	8h	Brake System	Front & Rear: Disc Brake
Charging Time (DC 20-80%) min (DC 90KW,150A)	43min	Suspension	Front: Macpherson Independent Suspension
Autonomy WLTP Combined (km/mi)	318/200	EPB	S
Autonomy WLTP Urban (km/mi)	485/300	Electronic Column Shift	S
		Wheels and Tyres	
		Tyre Size	215/65R16C
		Wheel Tyre Steel	S
		Wheel Tyre Alloy	O
		Spare Wheel	Full Size (steel)

## Basic Parameters

Weights		Dimensions	
GTW(kg)	4250	L*W*H(mm)	4998*2030*1990
GVW(kg)	3500	Wheel base(mm)	3000
CVW(kg)	2375	Ground Clearance(mm)	150
Maximum Front Axle Load(kg)	1830	Turning Radius(m)	6.05
Maximum Rear Axle Load(kg)	2050	Dimensions Cargo Area	
Payload(kg)	1125	Cargo Volume(m <sup>3</sup> )	5.9
Maximum trailer capacity Braked(kg)	1500	Maximum Length(mm)	2547
Maximum trailer capacity Unbraked(kg)	750	Maximum Width(mm)	1800



Maximum Width between wheelarches(mm)	1390
Maximum Height(mm)	1328

### Dimensions Sliding Door

Width(mm)	990
Height(mm)	1200



## MAXUS eDELIVER 7 L1H1 88kWh


### Basic Parameters


Battery & Electric Motor		Performance	
Battery Capacity(kWh)	88	Maximum Speed (km/h, Mi/h)	90/55 (ECO) 120/75 (Normal, Power)
Max. Power(kW)	150	Acceleration 0-100km/h / 0-60Mi/h	11.5/10.9
Max.Torque(N.m)	330	Max. Grade Ability	25%
Energy Consumption WLTP Combined (kWh/100km)	26.9	Suspension & Chassis	
Charging Time(AC charger 11kW, 5-100% )h	9.3h	Brake System	Front & Rear: Disc Brake
Charging Time (DC 20-80%) min (DC 90KW,150A)	43min	Suspension	Front: Macpherson Independent Suspension
Autonomy WLTP Combined (km/Mi)	370/230	EPB	S
Autonomy WLTP Urban (km/Mi)	542/340	Electronic Column Shift	S
		Wheels and Tyres	
		Tyre Size	215/65R16C
		Wheel Tyre Steel	S
		Wheel Tyre Alloy	O
		Spare Wheel	Full Size (steel)


## Basic Parameters


Weights		Dimensions	
GTW(kg)	4250	L*W*H(mm)	5364*2030*1990
GVW(kg)	3500	Wheel base(mm)	3366
CVW(kg)	2365	Ground Clearance(mm)	147
Maximum Front Axle Load(kg)	1830	Turning Radius(m)	6.7
Maximum Rear Axle Load(kg)	2050	Dimensions Cargo Area	
Payload(kg)	1135	Cargo Volume(m <sup>3</sup> )	6.7
Maximum trailer capacity Braked(kg)	1500	Maximum Length(mm)	2913
Maximum trailer capacity Unbraked(kg)	750	Maximum Width(mm)	1800
		Maximum Width between wheelarches(mm)	1390
		Maximum Height(mm)	1328
		Dimensions Sliding Door	
		Width(mm)	990
		Height(mm)	1200











## MAXUS eDELIVER 7 L2H1 77kWh


### Basic Parameters


Battery & Electric Motor		Performance	
Battery Capacity(kWh)	77	Maximum Speed (km/h, Mi/h)	90/55 (ECO) 120/75 (Normal, Power)
Max. Power(kW)	150	Acceleration 0-100km/h / 0-60Mi/h	11.5/10.9
Max.Torque(N.m)	330	Max. Grade Ability	25%
Energy Consumption WLTP Combined (kWh/100km)	27.80	Suspension & Chassis	
Charging Time(AC charger 11kW, 5-100% )h	8h	Brake System	Front & Rear: Disc Brake
Charging Time (DC 20-80%) min (DC 90KW,150A)	43min	Suspension	Front: Macpherson Independent Suspension
Autonomy WLTP Combined (km/Mi)	310/190	EPB	S
Autonomy WLTP Urban (km/Mi)	452/280	Electronic Column Shift	S
		Wheels and Tyres	
		Tyre Size	215/65R16C
		Wheel Tyre Steel	S
		Wheel Tyre Alloy	O
		Spare Wheel	Full Size (steel)


## Basic Parameters


Weights		Dimensions	
GTW(kg)	4250	L*W*H(mm)	5364*2030*1990
GVW(kg)	3500	Wheel base(mm)	3366
CVW(kg)	2445	Ground Clearance(mm)	147
Maximum Front Axle Load(kg)	1830	Turning Radius(m)	6.7
Maximum Rear Axle Load(kg)	2050	Dimensions Cargo Area	
Payload(kg)	1055	Cargo Volume(m <sup>3</sup> )	6.7
Maximum trailer capacity Braked(kg)	1500	Maximum Length(mm)	2913
Maximum trailer capacity Unbraked(kg)	750	Maximum Width(mm)	1800
		Maximum Width between wheelarches(mm)	1390
		Maximum Height(mm)	1328
		Dimensions Sliding Door	
		Width(mm)	990
		Height(mm)	1200















## MAXUS eDELIVER 7 L2H1 88kWh

### Basic Parameters

Battery & Electric Motor		Performance	
Battery Capacity(kWh)	88	Maximum Speed (kmh/mph)	90/55 (ECO) 120/75 (Normal, Power)
Max. Power(kW)	150	Acceleration 0-100kmh / 0-60mph	11.6/11.02
Max.Torque(N.m)	330	Max. Grade Ability	25%
Energy Consumption WLTP Combined (kWh/100km)	28.20	Suspension & Chassis	
Charging Time(AC charger 11kW, 5-100% )h	9.3h	Brake System	Front & Rear: Disc Brake
Charging Time (DC 20-80%) min (DC 90KW,150A)	43min	Suspension	Front: Macpherson Independent Suspension
Autonomy WLTP Combined (km/Mi)	362/225	EPB	S
Autonomy WLTP Urban (km/Mi)	524/325	Electronic Column Shift	S
		Wheels and Tyres	
		Tyre Size	215/65R16C
		Wheel Tyre Steel	S
		Wheel Tyre Alloy	O
		Spare Wheel	Full Size (steel)

## Basic Parameters

Weights		Dimensions	
GTW(kg)	4250	L*W*H(mm)	5364*2030*2390
GVW(kg)	3500	Wheel base(mm)	3366
CVW(kg)	2475	Ground Clearance(mm)	167
Maximum Front Axle Load(kg)	1830	Turning Radius(m)	6.7
Maximum Rear Axle Load(kg)	2050	Dimensions Cargo Area	
Payload(kg)	1025	Cargo Volume(m <sup>3</sup> )	8.7
Maximum trailer capacity Braked(kg)	1500	Maximum Length(mm)	2913
Maximum trailer capacity Unbraked(kg)	750	Maximum Width(mm)	1800
		Maximum Width between wheelarches(mm)	1390
		Maximum Height(mm)	1693
Dimensions Sliding Door			
		Width(mm)	990
		Height(mm)	1200





## MAXUS eDELIVER 7 L2H2 88kWh

### Basic Parameters

Battery & Electric Motor		Performance	
Battery Capacity(kWh)	88	Maximum Speed (km/h, Mi/h)	90/55 (ECO) 120/75 (Normal, Power)
Max. Power(kW)	150	Acceleration 0-100km/h / 0-60Mi/h	11.9 /11.3
Max.Torque(N.m)	330	Max. Grade Ability	25%
Energy Consumption WLTP Combined (kWh/100km)	30.50	Suspension & Chassis	
Charging Time(AC charger 11kW, 5-100% )h	9.3h	Brake System	Front & Rear: Disc Brake
Charging Time (DC 20-80%) min (DC 90KW,150A)	43min	Suspension	Front: Macpherson Independent Suspension
Autonomy WLTP Combined (km/Mi)	328/200	EPB	S
Autonomy WLTP Urban (km/Mi)	469/290	Electronic Column Shift	S
Wheels and Tyres			
		Tyre Size	215/75R16C
		Wheel Tyre Steel	S
		Wheel Tyre Alloy	O
		Spare Wheel	Full Size (steel)

## Equipment

### Safety, Security and Driver Assistance

Blind Spot Detection	S	Driver & Front Passenger Airbags	S
Lane Change Assist System	S	Driver & Front Passenger Side Airbags	S
Rear Cross Traffic Alert	S	Curtain Airbags	S
Door opening Warning	S	Front & Rear Parking Sensor	S
AEBS (Autonomous Emergency Braking System)	S	Reversing Camera	S
FCW (Front Collision Warning System)	S	360° Camera	S
Lane Departure Warning & Lane Keeping Assist System	S	E-CALL	S
Emergency Lane Keeping Assist System	S	Adjustable Overspeed Alarm	S
ACC with Stop&Go	S	Auto Door Lock	S
IHC(Intelligent Headlight Control)	S		
Speed Limit Sign Identification System	S		
Fatigue Driving Monitoring and Early Warning System	S		
Tyre Pressure Monitoring System	S		
ESP+EBA+HHC	S		



## MAXUS eDELIVER 7 All Variants

### Equipment

Multimedia		Exterior	
Touch Screen 12.3inch	S	Automatic LED headlight	S
MP5+DAB Radio + Bluetooth	S	Daytime Running Lamp	S
Apple Carplay & Android Auto	S	Front fog lamps	S
USB input	1	Rear fog lamps	S
4 Speakers	S	Electric Heated Exterieur Mirror	S
Comfort and Convenience		Heated Windshield	S
Drive Mode	Power/Normal/Eco	Body Colour	
Smart Key*2	S	COLOUR PACK WARM WHITE	FOC
One Touch Start	S	COLOUR PACK OBSIDIAN BLACK (Metallic)	O
Heated, Man-made-leather Multifunctional Steering Wheel	S	COLOUR PACK MICA BLUE (Metallic)	O
Automatic Front Wiper with Rain Sensor	S	COLOUR PACK GALAXY SILVER (Metallic)	O
Drive&Passenger Side Power Windows (one touch up&down)	S	COLOUR PACK OLIVE BROWN (Metallic)	O
12V front power outlet	S	METAL ASH GREY (Metallic)	O
Manual Air Conditioning	S		



## MAXUS eDELIVER 7 All Variants

### Equipment

Interior		Others	
Height Adjustable Steering wheel	S	6m Charging cable (Mode 3, 11KW)	S
Black Seat Cover	S	EPTO(Max 5kW, High voltage)	S
Manually Driver Seat with Single Armrest, heated function, height-Adjustable, Sliding, Reclining, Adjustable Lumbar support, cushion-adjustable	S	Rear Trailer Hitch Interface (With Controller + Connecting line)	S
2-seater Front Passenger Bench	S		
Single Front Passenger Seat	O		
Cargo Area			
B Column Full Steel Unglazed Partition	S		
Single Sliding door	S		
Dual sliding door	O		
Rear Wing Doors with 90°/180° Opening	S		
Tie Down Loops	6		
Power Side Step(Only kerbside) only available In conjunction with Alloy Wheels	O		




## MAXUS eDELIVER 7 L1H1

OBSIDIAN BLACK



MICA BLUE



OLIVE BROWN



GALAXY SILVER



WARM WHITE





## MAXUS eDELIVER 7 L1H1



OBSIDIAN BLACK



OLIVE BROWN




MICA BLUE



GALAXY SILVER



WARM WHITE





## MAXUS eDELIVER 7 L2H2



OBSIDIAN BLACK



GALAXY SILVER



MICA BLUE



WARM WHITE



OLIVE BROWN